



Engineering, Technology & Art

Designer Rail Range

(January 2022)



www.warma.com.tr




ELCHE Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Elche Designer Rail Chrome	500 x 800	9
Elche Designer Rail Chrome	500 x 1200	15
Elche Designer Rail Chrome	500 x 1800	21
Elche Designer Rail Chrome	600 x 800	9
Elche Designer Rail Chrome	600 x 1200	15
Elche Designer Rail Chrome	600 x 1800	21
Elche Designer Rail Powder Coated	500 x 800	9
Elche Designer Rail Powder Coated	500 x 1200	15
Elche Designer Rail Powder Coated	500 x 1800	21
Elche Designer Rail Powder Coated	600 x 800	9
Elche Designer Rail Powder Coated	600 x 1200	15
Elche Designer Rail Powder Coated	600 x 1800	21

www.warma.com.tr





Center from wall = 80 mm

Depth = 105 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

ELCHE

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	800	50 / 60	2,3	9,5	244	196	105
Chrome	500	1200	50 / 60	3,7	14,6	394	315	169
Chrome	500	1800	50 / 60	5,3	18,8	562	450	241
Chrome	600	800	50 / 60	2,6	11,3	279	224	120
Chrome	600	1200	50 / 60	4,1	17,7	452	362	194
Chrome	600	1800	50 / 60	5,9	22,1	644	515	276
Powder Coated	500	800	50 / 60	2,3	9,5	356	285	153
Powder Coated	500	1200	50 / 60	3,7	14,6	573	459	246
Powder Coated	500	1800	50 / 60	5,3	18,8	818	655	351
Powder Coated	600	800	50 / 60	2,6	11,3	406	325	174
Powder Coated	600	1200	50 / 60	4,1	17,7	658	527	282
Powder Coated	600	1800	50 / 60	5,9	22,1	936	750	402


JET Designer Rail




PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Jet Designer Rail Chrome	500 x 800	7
Jet Designer Rail Chrome	500 x 1200	10
Jet Designer Rail Chrome	500 x 1800	15
Jet Designer Rail Chrome	600 x 800	7
Jet Designer Rail Chrome	600 x 1200	10
Jet Designer Rail Chrome	600 x 1800	15
Jet Designer Rail Powder Coated	500 x 800	7
Jet Designer Rail Powder Coated	500 x 1200	10
Jet Designer Rail Powder Coated	500 x 1800	15
Jet Designer Rail Powder Coated	600 x 800	7
Jet Designer Rail Powder Coated	600 x 1200	10
Jet Designer Rail Powder Coated	600 x 1800	15

www.warma.com.tr






PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

JET

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	800	470	2,1	6,3	173	138	75
Chrome	500	1200	470	3,1	8,8	253	202	109
Chrome	500	1800	470	4,7	12,6	378	302	163
Chrome	600	800	570	2,3	6,7	195	156	84
Chrome	600	1200	570	3,4	9,2	284	227	123
Chrome	600	1800	570	5,1	13,5	425	340	184
Powder Coated	500	800	470	2,1	6,3	251	201	108
Powder Coated	500	1200	470	3,1	8,8	366	293	158
Powder Coated	500	1800	470	4,7	12,6	549	439	237
Powder Coated	600	800	570	2,3	6,7	284	227	123
Powder Coated	600	1200	570	3,4	9,2	413	330	178
Powder Coated	600	1800	570	5,1	13,5	618	494	267


LIXA Designer Rail




PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Lixa Designer Rail Chrome	500 x 800	11
Lixa Designer Rail Chrome	500 x 1100	15
Lixa Designer Rail Powder Coated	500 x 800	11
Lixa Designer Rail Powder Coated	500 x 1100	15

www.warma.com.tr





Center from wall = 60 mm



Depth = 77 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)




Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

LIXA

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	800	455	3,1	8,5	256	205	111
Chrome	500	1100	455	4,3	11,2	350	280	151
Powder Coated	500	800	455	3,1	8,5	377	302	163
Powder Coated	500	1100	455	4,3	11,2	515	412	222


NUEVITA Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Nuevita Designer Rail Chrome	500 x 800	9
Nuevita Designer Rail Chrome	500 x 1200	13
Nuevita Designer Rail Chrome	500 x 1600	17
Nuevita Designer Rail Chrome	600 x 800	9
Nuevita Designer Rail Chrome	600 x 1200	13
Nuevita Designer Rail Chrome	600 x 1600	17
Nuevita Designer Rail Pow. Coated	500 x 800	9
Nuevita Designer Rail Pow. Coated	500 x 1200	13
Nuevita Designer Rail Pow. Coated	500 x 1600	17
Nuevita Designer Rail Pow. Coated	600 x 800	9
Nuevita Designer Rail Pow. Coated	600 x 1200	13
Nuevita Designer Rail Pow. Coated	600 x 1600	17

www.warma.com.tr





Center from wall = 83 mm

Depth = 124 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)





Texture
Cappuccino
(1229)



White
RAL 9016

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	800	454	4,9	8,6	313	253	139
Chrome	500	1200	454	7,1	12,4	456	368	202
Chrome	500	1600	454	9,3	16,0	598	483	266
Chrome	600	800	554	5,6	9,8	361	291	160
Chrome	600	1200	554	8,2	14,0	524	423	233
Chrome	600	1600	554	10,7	18,0	687	555	305
Powder Coated	500	800	454	4,9	8,6	461	372	205
Powder Coated	500	1200	454	7,1	12,4	670	541	298
Powder Coated	500	1600	454	9,3	16,0	880	711	391
Powder Coated	600	800	554	5,6	9,8	530	428	236
Powder Coated	600	1200	554	8,2	14,0	771	623	342
Powder Coated	600	1600	554	10,7	18,0	1011	817	449


CHIOS Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Chios Designer Rail Chrome	500 x 850	6
Chios Designer Rail Chrome	500 x 1150	8
Chios Designer Rail Chrome	500 x 1750	12
Chios Designer Rail Chrome	600 x 850	6
Chios Designer Rail Chrome	600 x 1150	8
Chios Designer Rail Chrome	600 x 1750	12
Chios Designer Rail Powder Coated	500 x 850	6
Chios Designer Rail Powder Coated	500 x 1150	8
Chios Designer Rail Powder Coated	500 x 1750	12
Chios Designer Rail Powder Coated	600 x 850	6
Chios Designer Rail Powder Coated	600 x 1150	8
Chios Designer Rail Powder Coated	600 x 1750	12

www.warma.com.tr





Center from wall = 85 mm

Depth = 127 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)




White
RAL 9016

CHIOS

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	850	418	5,6	8,5	265	212	115
Chrome	500	1150	418	7,5	10,8	355	284	154
Chrome	500	1750	418	11,3	15,8	536	429	231
Chrome	600	850	518	6,3	9,3	299	239	129
Chrome	600	1150	518	8,5	12	400	320	173
Chrome	600	1750	518	12,8	17,1	604	483	261
Powder Coated	500	850	418	5,6	8,5	390	312	168
Powder Coated	500	1150	418	7,5	10,8	523	418	226
Powder Coated	500	1750	418	11,3	15,8	788	630	340
Powder Coated	600	850	518	6,3	9,3	440	352	190
Powder Coated	600	1150	518	8,5	12	589	471	254
Powder Coated	600	1750	518	12,8	17,1	888	710	383


DELFINA Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Delfina Designer Rail Chrome	500 x 800	12
Delfina Designer Rail Chrome	500 x 1200	16
Delfina Designer Rail Pow. Coated	500 x 800	12
Delfina Designer Rail Pow. Coated	500 x 1200	16

www.warma.com.tr





Center from wall = 80 mm

Depth = 115 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

DELFINA

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	800	450	4,8	11,3	346	277	150
Chrome	500	1200	450	6,6	15,5	471	377	204
Powder Coated	500	800	450	4,8	11,3	503	403	217
Powder Coated	500	1200	450	6,6	15,5	686	548	296


BELINDA Designer Rail



PRODUCT	SIZE (mm)	HORIZANTAL BAR QUANTITY
Belinda Designer Rail Chrome	400 x 700	3
Belinda Designer Rail Chrome	450 x 900	6
Belinda Designer Rail Chrome	450 x 1200	7
Belinda Designer Rail Pow. Coated	400 x 700	3
Belinda Designer Rail Pow. Coated	450 x 900	6
Belinda Designer Rail Pow. Coated	450 x 1200	7

www.warma.com.tr





400 x 700

450 x 900

450 x 1200

Center from wall = 85 mm

Depth = 105 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

BELINDA

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	400	700	360	2,6	6,3	144	116	62
Chrome	450	900	410	4,1	7,9	235	188	101
Chrome	450	1200	410	5,2	9,1	293	235	126
Powder Coated	400	700	360	2,6	6,3	210	168	90
Powder Coated	450	900	410	4,1	7,9	341	273	147
Powder Coated	450	1200	410	5,2	9,1	426	341	183


NORINA Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Norina Designer Rail Chrome	500 x 800	7
Norina Designer Rail Chrome	500 x 1200	10
Norina Designer Rail Chrome	500 x 1800	15
Norina Designer Rail Chrome	600 x 800	7
Norina Designer Rail Chrome	600 x 1200	10
Norina Designer Rail Chrome	600 x 1800	15
Norina Designer Rail Powder Coated	500 x 800	7
Norina Designer Rail Powder Coated	500 x 1200	10
Norina Designer Rail Powder Coated	500 x 1800	15
Norina Designer Rail Powder Coated	600 x 800	7
Norina Designer Rail Powder Coated	600 x 1200	10
Norina Designer Rail Powder Coated	600 x 1800	15

www.warma.com.tr





500 x 800

500 x 1200

500 x 1800

600 x 800

600 x 1200

600 x 1800

Center from wall = 80 mm

Depth = 95 mm

PRODUCT COLOURS



Texture

Black


(RAL 9005)



Texture

Anthracite

(7946)



Texture

Anthracite

(7766)



Texture

Grey

(RAL 7040)



Texture

White

(RAL 9016)



Texture

Cappuccino

(1229)




White

RAL 9016

NORINA

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	800	455	3,9	10,0	249	196	101
Chrome	500	1200	455	5,7	12,9	373	295	152
Chrome	500	1800	455	8,6	18,1	551	436	227
Chrome	600	800	555	4,5	10,6	289	228	117
Chrome	600	1200	555	6,5	15,4	434	343	177
Chrome	600	1800	555	9,8	21,5	641	507	263
Powder Coated	500	800	455	3,9	10,0	430	342	181
Powder Coated	500	1200	455	5,7	12,9	633	504	266
Powder Coated	500	1800	455	8,6	18,1	932	742	392
Powder Coated	600	800	555	4,5	10,6	509	405	214
Powder Coated	600	1200	555	6,5	15,4	749	597	315
Powder Coated	600	1800	555	9,8	21,5	1104	879	464


CALANDRA Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Calandra Designer Rail Chrome	450 x 900	12
Calandra Designer Rail Chrome	500 x 950	13
Calandra Designer Rail Chrome	500 x 1150	16
Calandra Designer Rail Pow. Coated	450 x 900	12
Calandra Designer Rail Pow. Coated	500 x 950	13
Calandra Designer Rail Pow. Coated	500 x 1150	16

www.warma.com.tr





Center from wall = 36 mm

Depth = 75 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

CALANDRA

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	450	900	405	3,1	9,6	259	207	111
Chrome	500	950	455	3,5	10,8	301	240	128
Chrome	500	1150	455	4,3	12,7	368	295	157
Powder Coated	450	900	405	3,1	9,6	377	301	161
Powder Coated	500	950	445	3,5	10,8	437	349	186
Powder Coated	500	1150	445	4,3	12,7	536	428	228


MASTIKA Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Mastika Designer Rail Pow. Coated	500 x 800	9
Mastika Designer Rail Pow. Coated	500 x 1150	12
Mastika Designer Rail Pow. Coated	500 x 1400	15
Mastika Designer Rail Pow. Coated	500 x 1640	18
Mastika Designer Rail Pow. Coated	600 x 800	9
Mastika Designer Rail Pow. Coated	600 x 1150	12
Mastika Designer Rail Pow. Coated	600 x 1400	15
Mastika Designer Rail Pow. Coated	600 x 1640	18

www.warma.com.tr





Center from wall = 80 mm

Depth = 106 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)




Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

MASTIKA

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Powder Coated	500	800	50	3,5	12,5	497	398	215
Powder Coated	500	1150	50	4,8	16,9	674	539	291
Powder Coated	500	1400	50	6,0	20,6	842	674	364
Powder Coated	500	1640	50	7,1	24,1	1009	807	436
Powder Coated	600	800	50	4,0	14,5	575	460	248
Powder Coated	600	1150	50	5,4	19,2	777	621	336
Powder Coated	600	1400	50	6,7	23,3	972	777	420
Powder Coated	600	1640	50	8,0	28,1	1165	932	503


SMYRNA Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Smyrna Designer Rail Pow. Coated	500 x 1000	10
Smyrna Designer Rail Pow. Coated	500 x 1200	12
Smyrna Designer Rail Pow. Coated	500 x 1400	14
Smyrna Designer Rail Pow. Coated	500 x 1600	16
Smyrna Designer Rail Pow. Coated	500 x 1800	18
Smyrna Designer Rail Pow. Coated	600 x 1000	10
Smyrna Designer Rail Pow. Coated	600 x 1200	12
Smyrna Designer Rail Pow. Coated	600 x 1400	14
Smyrna Designer Rail Pow. Coated	600 x 1600	16
Smyrna Designer Rail Pow. Coated	600 x 1800	18

www.warma.com.tr





Center from wall = 80 mm

Depth = 106 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016


SMYRNA

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Powder Coated	500	1000	50 / 450	4,1	15,6	632	506	271
Powder Coated	500	1200	50 / 450	4,9	18,6	759	607	325
Powder Coated	500	1400	50 / 450	5,7	20,6	885	708	379
Powder Coated	500	1600	50 / 450	6,5	24,0	1011	809	433
Powder Coated	500	1800	50 / 450	7,3	25,9	1137	910	488
Powder Coated	600	1000	50 / 550	4,6	17,4	728	583	312
Powder Coated	600	1200	50 / 550	5,5	19,6	874	699	375
Powder Coated	600	1400	50 / 550	6,4	23,3	1019	816	437
Powder Coated	600	1600	50 / 550	7,3	26,8	1164	932	499
Powder Coated	600	1800	50 / 550	8,3	30,0	1309	1048	562

www.warma.com.tr




Lido Designer Rail




PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Lido Designer Rail Chrome	500 x 1150	8
Lido Designer Rail Chrome	500 x 1800	12
Lido Designer Rail Powder Coated	500 x 1150	8
Lido Designer Rail Powder Coated	500 x 1800	12

www.warma.com.tr





500 x 1150



500 x 1800

Center from wall = 80 mm

Depth = 115 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappucino
(1229)




White
RAL 9016

LIDO

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	1150	60	4,2	11,2	292	233	125
Chrome	500	1800	60	6,4	16,6	444	355	190
Powder Coated	500	1150	60	4,2	11,2	424	340	182
Powder Coated	500	1800	60	6,4	16,6	646	517	277


Tire Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Tire Designer Rail Chrome	500 x 850	6
Tire Designer Rail Chrome	500 x 1150	8
Tire Designer Rail Chrome	500 x 1750	12
Tire Designer Rail Chrome	600 x 850	6
Tire Designer Rail Chrome	600 x 1150	8
Tire Designer Rail Chrome	600 x 1750	12
Tire Designer Rail Powder Coated	500 x 850	6
Tire Designer Rail Powder Coated	500 x 1150	8
Tire Designer Rail Powder Coated	500 x 1750	12
Tire Designer Rail Powder Coated	600 x 850	6
Tire Designer Rail Powder Coated	600 x 1150	8
Tire Designer Rail Powder Coated	600 x 1750	12

www.warma.com.tr





Center from wall = 85 mm

Depth = 127 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)




Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

TIRE

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	850	50	5,6	8,5	265	212	115
Chrome	500	1150	50	7,5	10,8	355	284	154
Chrome	500	1750	50	11,3	15,8	536	429	231
Chrome	600	850	50	6,3	9,3	299	239	129
Chrome	600	1150	50	8,5	12	400	320	173
Chrome	600	1750	50	12,8	17,1	604	483	261
Powder Coated	500	850	50	5,6	8,5	390	312	168
Powder Coated	500	1150	50	7,5	10,8	523	418	226
Powder Coated	500	1750	50	11,3	15,8	788	630	340
Powder Coated	600	850	50	6,3	9,3	440	352	190
Powder Coated	600	1150	50	8,5	12	589	471	254
Powder Coated	600	1750	50	12,8	17,1	888	710	383


LOLLY Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Lolly Designer Rail Powder Coated	500 x 800	12
Lolly Designer Rail Powder Coated	500 x 1200	16
Lolly Designer Rail Powder Coated	500 x 1800	24
Lolly Designer Rail Powder Coated	600 x 800	12
Lolly Designer Rail Powder Coated	600 x 1200	16
Lolly Designer Rail Powder Coated	600 x 1800	24

www.warma.com.tr





Center from wall = 80 mm

Depth = 125 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

LOLLY

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Powder Coated	500	800	50	5,5	12,1	466	368	190
Powder Coated	500	1200	50	7,6	15,9	671	530	273
Powder Coated	500	1800	50	11,4	23,5	976	770	395
Powder Coated	600	800	50	6,4	13,7	556	440	227
Powder Coated	600	1200	50	8,7	17,7	802	633	326
Powder Coated	600	1800	50	13,1	26,3	1166	919	472


RIVA Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Riva Designer Rail Powder Coated	500 x 800	13
Riva Designer Rail Powder Coated	500 x 1200	22
Riva Designer Rail Powder Coated	500 x 1800	30
Riva Designer Rail Powder Coated	600 x 800	13
Riva Designer Rail Powder Coated	600 x 1200	22
Riva Designer Rail Powder Coated	600 x 1800	30

www.warma.com.tr





Center from wall = 83 mm

Depth = 139 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

RIVA

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Powder Coated	500	800	468	5,5	9,5	581	465	250
Powder Coated	500	1200	468	9,1	15,3	869	695	371
Powder Coated	500	1800	468	12,6	21,1	1331	1061	562
Powder Coated	600	800	568	6,4	10,7	627	502	270
Powder Coated	600	1200	568	10,6	16,9	938	750	401
Powder Coated	600	1800	568	14,7	23,5	1437	1145	606


URLA Designer Rail



PRODUCT	SIZE (mm)	HORIZONTAL BAR QUANTITY
Urla Designer Rail Chrome	500 x 800	10
Urla Designer Rail Chrome	500 x 1200	16
Urla Designer Rail Chrome	500 x 1800	22
Urla Designer Rail Chrome	600 x 800	10
Urla Designer Rail Chrome	600 x 1200	16
Urla Designer Rail Chrome	600 x 1800	22
Urla Designer Rail Powder Coated	500 x 800	10
Urla Designer Rail Powder Coated	500 x 1200	16
Urla Designer Rail Powder Coated	500 x 1800	22
Urla Designer Rail Powder Coated	600 x 800	10
Urla Designer Rail Powder Coated	600 x 1200	16
Urla Designer Rail Powder Coated	600 x 1800	22

www.warma.com.tr





Center from wall = 80 mm

Depth = 95 mm


PRODUCT COLOURS



Texture
Black
(RAL 9005)



Texture
Anthracite
(7946)



Texture
Anthracite
(7766)



Texture
Grey
(RAL 7040)



Texture
White
(RAL 9016)



Texture
Cappuccino
(1229)



White
RAL 9016

URLA

Finish	Width (mm)	Height (mm)	Inlet Outlet Distance (mm)	Water Content (Lt)	Packed Weight (Kg)	H. Output ΔT 60 watts	H. Output ΔT 50 watts	H. Output ΔT 30 watts
Chrome	500	800	455	2,8	8,1	250	198	102
Chrome	500	1200	455	4,3	12,4	371	293	151
Chrome	500	1800	455	6,2	16,7	555	438	225
Chrome	600	800	555	3,0	9,3	286	226	117
Chrome	600	1200	555	4,7	14,1	424	335	173
Chrome	600	1800	555	6,7	19,2	636	501	258
Powder Coated	500	800	455	2,8	8,1	405	322	169
Powder Coated	500	1200	455	4,3	12,4	603	479	252
Powder Coated	500	1800	455	6,2	16,7	892	710	374
Powder Coated	600	800	555	3,0	9,3	467	371	195
Powder Coated	600	1200	555	4,7	14,1	695	553	291
Powder Coated	600	1800	555	6,7	19,2	1029	819	432





Export Company



Yapı Dış Ticaret Limited Şirketi
Sanatkarlar Caddesi No : 29
Organised Industrial Zone of Muradiye / Manisa / TURKEY



Production Company



Warma Isı Ürünleri Makine Sanayi ve Ticaret Ltd. Şti
Sanatkarlar Caddesi No : 29
Organised Industrial Zone of Muradiye / Manisa / TURKEY

www.warma.com.tr